

# Safety Data Sheet

# **SECTION 1 - Chemical Product and Company Information**

**Product Name:** Smith's Poly-WB+ LS Part A **Trade Name:** Poly-WB+ Low Sheen – Part A

Manufactured by: Smith Paint Products 2200 Paxton Street Harrisburg, PA 17111 (800) 466-8781 Product Code: SCS-POLYWB-LS-A

Chemtrec 2900 Fairview Park Drive Falls Church, VA 22042-4513 (800) 262-8200

**Emergency Hot Line:** (800) 424-9300

**Product Use:** Industrial Maintenance Coating **Not Recommended For:** Consumer Use

#### **SECTION 2 - Hazards Identification**

**GHS Ratings:** 

**GHS Hazards** 

**GHS Precautions** 

### **Signal Word:**

SECTION 3 - Composition / Information on Ingredients			
Chemical Name	CAS number	Weight Concentration %	
Polypropylene glycol	25322-69-4	1.00% - 5.00%	

#### **SECTION 4 - First Aid Measures**

If inhaled: In case of irritation of the respiratory tract seek medical advice

**In case of eye contact:** Hold the eyes open and rinse with preferably lukewarm water for a sufficiently long period of time (at least 10 minutes). Contact an ophthalmologist

In case of skin contact: Wash off immediately with soap and plenty of water. Consult a doctor in the event of a skin reaction

If swallowed: DO NOT induce the patient to vomit, medical advice is required

# **SECTION 5 - Fire Fighting Measures**

Flash Point: >100°C (>212°F)

LEL: UEL:

Suitable extinguishing media: Carbon dioxide (CO2), Foam, extinguishing powder, in cases of larger fires, water spray

should be used.

Unsuitable extinguishing media: High volume water jet.

Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes.

Firemen must wear self-contained breathing apparatus.

SCS-POLYWB-LS-A

### SECTION 6 - Accidental Release Measures

- **6.1 Personal precautions, protective equipment, and emergency procedures:** Put on protective equipment (see section 8). Ensure adequate ventilation/exhaust extraction. Keep unauthorized persons away.
- **6.2 Environment related measures:** Do not allow to escape into waterways, wastewater, or soil.
- **6.3 Methods and material for containment and cleaning up:** Take up with absorbent for chemicals or, if necessary, with dry sand and store in closed containers.
- **6.4 Reference to other sections:** For further disposal measures see section 13

## **SECTION 7 - Handling and Storage**

When handling observe the usual precautionary measures for chemicals. Avoid contact with the skin and the eyes. Keep away from foodstuffs, drinks, and tobacco. Wash hands before breaks and at the end of workday. Keep working clothes separately. Change contaminated or soaked clothing.

Keep container tightly closed in a dry and well-ventilated place. Further information on the storage conditions which must be observed to preserve quality can be found in our product information sheet.

No information available.

SECTION 8 - Exposure Controls / Personal Protection			
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Polypropylene glycol 25322-69-4	Not Established	Not Established	Not Established

## **SECTION 9 - Physical and Chemical Properties**

This mixture typically exhibits the following properties under normal circumstance:

Physical State: Liquid

Odor: Slight

Melting point/freezing point: Not available

Flammability: Not available

Flash point: >100°C

**Decomposition temperature:** Not available

Dynamic viscosity: 20-30 cP

Partition coefficient

n-octanol/water: Not available

Relative density: 1.03

Particle characteristics: Not available

Color: Milky white

Odor threshold: Not available

Boiling point or initial boiling

point and range: 100°C

Lower and upper explosion

limit: N/A

**Auto-ignition temperature:** N/A

**pH**: 7-9

**Solubility:** Miscible in water

Vapor pressure: 11.3 mmHg

Relative vapor density: 0.6

# **SECTION 10 - Stability and Reactivity**

No thermal decomposition when stored and handled correctly.

**STABLE** 

No Data Available

On drying of the coating / hardening release of neutralizing agent

No Data Available

Hazardous polymerization will not occur.

SCS-POLYWB-LS-A Page 2 of 4

## **SECTION 11 - Toxicological Information**

Mixture Toxicity
Component Toxicity

25322-69-4 Polypropylene glycol

Oral LD50: 3,750 mg/kg (Rat) Dermal LD50: 3,000 mg/kg (Rabbit)

Primary routes of entry: Inhalation, Skin contact.

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

None No Data Available

# **SECTION 12 - Ecological Information**

Ecotoxicological studies of the product are not available. Do not allow to escape into waterways, wastewater, or soil

**Component Ecotoxicity** 

## **SECTION 13 - Disposal Considerations**

Dispose in accordance with applicable international, national, and local laws, ordinances, and statutes.

For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.

**Waste treatment methods:** After containers have been emptied as thoroughly as possible (e.g. by pouring, scraping, or draining until "drip-dry"), they can be sent to an appropriate collection point set up within the framework of the existing take-back scheme of the chemical industry. Containers must be recycled in compliance with national legislation and environmental regulations.

None disposal into waste water.

DOT IATA

**IMDG** 

# **SECTION 14 - Transport Information**

This material is classified for transport as follows:

Not regulated as hazardous material

Not regulated as hazardous material

Not regulated as hazardous material

AgencyProper Shipping NameUN NumberPacking GroupHazard ClassADR/RIDNot regulated as hazardous material

SCS-POLYWB-LS-A Page 3 of 4

## **SECTION 15 - Regulatory Information**

The state of California Safe Drinking Water and Toxic Enforcement Act of 1986 "Proposition 65" Warning, this product can expose you to chemicals which are known to the state of California to cause cancer. For more information go to www.p65warnings.ca.gov.

No Data Available

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin: No Data Available

**R2K List** 

No Data Available

Country Regulation All Components Listed

**Toxic Substances Control Act (TSCA):** All chemicals except those listed below appear in the Toxic Substances Control Act Chemical Substance Inventory:

Inert 30 - 40%

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act, and Title 40 of the Code of Federal Regulations, part 372.

### **SECTION 16 - Other Information**

The material contained in this Safety Data Sheet is based on information supplied to Smith Paint Products by the raw material suppliers of the individual components of this product. Smith Paint Products believes this information is truthful and reliable. However, no warranty is expressed or implied regarding the accuracy of this information, or of any product, method or apparatus mentioned and you must make your own determination of its suitability and completeness for your own use, for the protection of the environment, and health and safety of your employees and users of this material. As more information becomes available from our vendors additional revisions will be forthcoming.

**Date Prepared:** 08/12/2025 **Prepared By:** Roberto Fierro

SCS-POLYWB-LS-A Page 4 of 4